



ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ
Karnataka State Pollution Control Board

“ಪರಿಸರ ಭವನ”, 1 ರಿಂದ 5ನೇ ಮಹಡಿಗಳು, ನಂ. 49, ಚರ್ಚ್ ಸ್ಟ್ರೀಟ್, ಬೆಂಗಳೂರು - 560 001, ಕರ್ನಾಟಕ, ಭಾರತ
“Parisara Bhavana”, 1st to 5th Floor, # 49, Church Street, Bengaluru - 560 001, Karnataka, INDIA

No. PCB/WMC/764/SUP-PLS/2022/ 2612

Date:

OFFICE ORDER

15 JUL 2022

Sub: Establishment of State Control Room(SCR) to facilitate activities related to the effective implementation of SUP Ban- reg
Ref: CPCB's Direction under Section (5) of the Environment(Protection) Act, 1986 to SPCB's and PCCs for implementation of ban on SUP dated:30.06.2022.

The Central Pollution Control Board vide letter dated:30.06.2022 has issued direction under Section (5) of the Environment(Protection) Act, 1986 to SPCB's/ PCC's and UDD's for implementation of ban on SUP, wherein, one of the directions is to set up a control room to facilitate activities related to the effective implementation of SUP ban.

In compliance of the said directions, the Karnataka State Pollution Control Board has setup a Control Room # 49, Parisara Bhavan, Church Street, Bangalore-01.

- SCR shall become operational with effect from 05.07.2022 and facilitate activities related to effective implementation of SUP ban including the following;
 - i) Provide assistance, guidance, clarification and information as may be sought by various Stakeholders regarding ban on SUP items, which may include following;
 - Specific items covered under / excluded from SUP ban
 - Guidance for filling of complaints on SUP Public Grievance App.
 - Guidance for operational of SUP compliance monitoring portal by ULBs.
 - Issues related to switching over to alternatives including issue of Consent/Registration under Plastic Waste Management Rules, 2016.
 - Compostable plastic manufacturers details.
 - ii) The SCR shall monitor enforcement of SUP ban through ULBs and Regional Officers of KSPCB and report compliance status through SUP compliance monitor portal.
 - iii) The details of State Control Board are has given below;

State	Karnataka
Phone Number of Control Room	080-25582559
Email Address of Control Room	iccc.kspcb@gmail.com ecckspcb@gmail.com

Nodal Officer Name, designation, Phone e-mail Id	Dr. P. Niranjana, Chief Environmental Officer 9448350868 iccc.kspcb@gmail.com ecckspcb@gmail.com
Other Team members Name, Designation, email, phone	1.Smt Shakuntala Bai-Senior Environmental Officer Phone No-9448119262 e-mail id- iccc.kspcb@gmail.com ecckspcb@gmail.com 2. Smt. Madavi- Environmental Officer Phone No-9945592612 e-mail id- iccc.kspcb@gmail.com ecckspcb@gmail.com

This is for your information


MEMBER SECRETARY

To,

1. T. O to Chairman for information and to bring it into the kind attention.
2. P. A to Member Secretary for information and to bring it into the kind attention.
3. Dr. P. Niranjana, Chief Environmental Officer for information and to take necessary action for commencement of operation of SCR.
4. Smt Shakuntala Bai-Senior Environmental Officer for information and necessary action.
5. Smt. Madavi- Environmental Officer for information and necessary action.
6. All RSEO's for information
7. All RO's for information
8. SEO, Corporate Cell for information.
9. SEO, e-gov Cell for information.
10. Case file.